



Item No:KMS-5901

with black color cover

Item Name: Magnetic Bike

SPECIFICATION

Monitor:time,distance,speed,calorie ,W/O Pulse
 Brake :Magnet;Drive system:ribbed belt two-ways
 Flywheel:3KG magnetic flywheel with 1pc crank
 Tension conctrol:8 levels by manual
 certificate :ISO 20957;EN957-5/Class HC ,TUV
 Soft PU saddle
 Max user weight:110KG

Packing Details:

Assembly Size:860*1280*510mm
 Carton Size:785*255*580mm
 Loading quantity 20': 252pcs
 Loading quantity 40': 540pcs
 Loading quantity 40'HQ:600pcs
 G.W.:21KGS N.W.:19KGS



Item No:KMS-5906P

with black color cover

Item Name: Magnetic Bike

SPECIFICATION

Monitor:time,distance,speed,pulse,calorie
 Brake :Magnet;Drive system:ribbed belt two-ways
 Flywheel:7KG magnetic flywheel with 1pc crank
 Electric control resistant adjust system
 Soft PU seat
 Max user weight:100KG

Packing Details:

Assembly Size:980*510*1320mm
 Carton Size:915*255*565mm
 Loading quantity 20': 216pcs
 Loading quantity 40': 468pcs
 Loading quantity 40'HQ:520pcs
 G.W.:29.5KGS N.W.:26.5KGS



Item No:BE-5901

with black color cover

Item Name: Elliptical Bike

SPECIFICATION

Monitor:time,distance,speed,calorie Hand pulse sensor
 Brake :Magnet;Drive system:ribbed belt two-ways
 Flywheel:3KG magnetic flywheel with 1pc crank
 Tension conctrol:8 levels by manual
 certificate :ISO 20957;EN957-5/Class HC ,TUV
 Max user weight:110KG

Packing Details:

Assembly Size:1110*600*1480mm
 Carton Size:915*320*530mm
 Loading quantity 20': 168pcs
 Loading quantity 40': 364pcs
 Loading quantity 40'HQ:455pcs
 G.W.: 29KGS N.W.:26KGS

Item No:BE-5901A

with black color cover

Item Name: Elliptical Bike

SPECIFICATION

Monitor:time,distance,speed,calorie Hand pulse sensor



Brake :Magnet;Drive system:ribbed belt two-ways
 Flywheel:3KG magnetic flywheel with 1pc crank
 Tension control:8 levels by manual
 certificate :ISO 20957;EN957-5/Class HC ,TUV
 Max user weight:100KG

Packing Details:

Assembly Size:1110*600*1480mm
 Carton Size:915*320*530mm
 Loading quantity 20': 168pcs
 Loading quantity 40': 364pcs
 Loading quantity 40'HQ:455pcs
 G.W.: 32KGS N.W.:29KGS

Item No:BR-5901

Item Name:Recumbent Bike

with black color cover

SPECIFICATION

Monitor:time,distance,speed,calorie, Hand pulse sensor
 Brake :Magnet;Drive system:ribbed belt two-ways
 Flywheel:3KG magnetic flywheel with 1pc crank
 Tension control:8 levels by manual
 certificate :ISO 20957;EN957-5/Class HC ,TUV
 Saddle adjustment:Horizontal
 Max user weight:110KG

Packing Details:

Assembly Size:1380*650*1000mm
 Carton Size:1190*250*575mm
 Loading quantity 20': 180pcs
 Loading quantity 40': 360pcs
 Loading quantity 40'HQ:400pcs
 G.W.: 28.5KGS N.W.:25.5KGS



Item No:BR-5901R

Item Name:Recumbent Bike

with black color cover

SPECIFICATION

Monitor:time,distance,speed,calorie, Hand pulse sensor
 Brake :Magnet;Drive system:ribbed belt two-ways
 Flywheel:3KG magnetic flywheel with 1pc crank
 Tension control:8 levels by manual
 certificate :ISO 20957;EN957-5/Class HC ,TUV
 Saddle adjustment:Horizontal
 Max user weight:110KG

Packing Details:

Assembly Size:1380*650*1000mm
 Carton Size:1190*250*575mm
 Loading quantity 20': 180pcs
 Loading quantity 40': 360pcs
 Loading quantity 40'HQ:400pcs
 G.W.: 29.5KGS N.W.:26.3KGS



Item No: BK-8018

with black color cover

Item Name:Elliptical Climber

SPECIFICATION

Monitor:Time,Distance,Speed,Calorie
 Tension control:8 levels by manual
 Belt transmission system
 Flywheel:7KG flywheel with 3PCS crank
 Max user weight:100KG
 two stepper exercise distance with 22cm which is higher than footstep
 incline of degree is over 40 degree
 The user installment is very easy with few step

Packing Details:

Assembly Size:930*640*1580mm
 Carton Size:960*330*775mm
 Loading quantity 20': 126pcs



Loading quantity 40': 264pcs
Loading quantity 40'HQ:300pcs
G.W.: 38.5KGS N.W.:35KGS

Item No: BK-8018C-2

with black color cover

Item Name:Mid handlebr Elliptical Climber

SPECIFICATION

Monitor:Time,Distance,Speed,Calorie,handle pulse
Tension control:8 levels by manual
Magnetic system with two way system
Flywheel:7KG flywheel with 3PCS crank
Max user weight:100KG
two stepper exercise distance with 22cm which is higher than footstep
incline of degree is over 40 degree
The user installment is very easy with few step
with mid handlebar handle pulse

Packing Details:

Assembly Size:930*640*1580mm
Carton Size:960*330*775mm
Loading quantity 20': 126pcs
Loading quantity 40': 264pcs
Loading quantity 40'HQ:300pcs
G.W.: 38.5KGS N.W.:35KGS



Item No: BK-8018C

with black color cover

Item Name:Elliptical Climber

SPECIFICATION

Monitor:Time,Distance,Speed,Calorie
Tension control:8 levels by manual
Magnetic system with two way system
Flywheel:7KG flywheel with 3PCS crank
Max user weight:100KG
two stepper exercise distance with 22cm which is higher than footstep
incline of degree is over 40 degree
The user installment is very easy with few step

Packing Details:

Assembly Size:930*640*1580mm
Carton Size:960*330*775mm
Loading quantity 20': 126pcs
Loading quantity 40': 258pcs
Loading quantity 40'HQ:294pcs
G.W.: 38.5KGS N.W.:35KGS



Item No.: RM-001

Item Name.:Rowing Machine

SPECIFICATION:

Magnetic Control: 8 level adjustment
Computer:Scan,Time,Spm,Distance,Calorie
Max user weight:115kgs

Easy to fold in corner with only 1550mm high
User from 1450 ~ 1950mm can use it.
Aluminum alloy sliding rail

PACKING DETAILS:

Assembly size:1560*550*700mm
Carton Size:1455*450*200mm
Loading quantity 20':220sets
Loading quantity 40'GP: 440sets
Loading quantity 40'HQ: 500 sets
G.W.: 21.8KGS N.W.: 18.5 KGS



Item No.: RR-7101

Item Name.:Rowing Machine

SPECIFICATION:

Magnetic Control: 8 level adjustment
Computer:Scan,Time,sl/times,Total,Distance,Calorie
Max user weight:120kgs

Easy to fold in corner with only 1550mm high
User from 1450 ~ 1900mm can use it.



Aluminum alloy sliding rail

PACKING DETAILS:

Assembly size:1530*600*1000mm
Carton Size:1490*255*595mm
Loading quantity 20':128sets
Loading quantity 40'GP: 288sets
Loading quantity 40'HQ: 312 sets
G.W.: 31.8KGS N.W.: 28.5 KGS

Item No:BS-6207S

Item Name:Spin bike

SPECIFICATION

Monitor:time,distance,speed,calorie, Hand pulse sensor
Brake : belt transmission
Flywheel :8KG magnetic flywheel with 3pcs crank
Tension conctrol:8 levels by manual
certificate :ISO 20957;EN957-5/Class HC
Saddle adjustment:Horizontal/Vertical
Max user weight:130KG

Packing Details:

Assembly Size:1070*550*1180mm
Carton Size:945*255*880mm
Loading quantity 20': 132pcs
Loading quantity 40': 268pcs
Loading quantity 40'HQ:336pcs
G.W.: 37KGS N.W.:33KGS



Item No:BS-9331

Item Name:Magnetic Spin bike

SPECIFICATION

Brake : belt transmission
Flywheel :18KG magnetic flywheel with 3pcs crank
Tension conctrol:8 levels by manual
certificate :ISO 20957;EN957-5/Class HC
Saddle adjustment:Horizontal/Vertical
Max user weight:130KG

Packing Details:

Assembly Size:1080*500*1150mm
Carton Size:1150*250*885mm
Loading quantity 20': 118pcs
Loading quantity 40': 242pcs
Loading quantity 40'HQ:285pcs
G.W.: 43.5KGS N.W.:40.7KGS



Item No:KMS-6201

Item Name: Magnetic Bike

SPECIFICATION

Monitor:time,distance,speed,calorie, Hand pulse
Brake :Magnet;Drive system:ribbed belt two-ways
Flywheel:5KG magnetic flywheel with 3pc crank
Tension conctrol:8 levels by manual
certificate :ISO 20957;EN957-5/Class HC ,TUV
Saddle adjustment:Horizontal/Vertical
Max user weight:130KG

Packing Details:

Assembly Size:1180*530*1370mm
Carton Size:850*250*600mm
Loading quantity 20': 220pcs
Loading quantity 40': 462pcs
Loading quantity 40'HQ:546pcs
G.W.: 29.7KGS N.W.:27.2KGS



Item No:BM-3660

Item Name: Mini bike

SPECIFICATION

Monitor:time,distance,speed,calorie
Tension conctrol:nylon KMSshing with knob
certificate :ISO 20957;EN957-5/Class HC ,TUV
Flywheel:1KG magnetic flywheel with 100W torsion



Max user weight:100kgs

Packing Details:

Assembly Size:600*405*320 mm
Carton Size:625*385*230mm
Loading quantity 20': 540pcs
Loading quantity 40':1140pcs
Loading quantity 40'HQ:1254pcs
G.W.: 10.5KGS N.W.:8.5KGS

Item No:KMS-6233

Item Name: Magnetic Bike

SPECIFICATION

Monitor:time,distance,speed,calorie, Hand pulse
Brake :Magnet;Drive system:ribbed belt two-ways
Flywheel:3KG magnetic flywheel with 3pc crank
Tension control:8 levels by manual
certificate :ISO 20957;EN957-5/Class HC ,TUV
Saddle adjustment:Horizontal/Vertical
Max user weight:110KG



Packing Details:

Assembly Size:1000*550*1300mm
Carton Size:860*250*675mm
Loading quantity 20': 200pcs
Loading quantity 40': 414pcs
Loading quantity 40'HQ:455pcs
G.W.: 26.5KGS N.W.:24KGS

Item No:BE-6233

Item Name: Elliptical bike

SPECIFICATION

Monitor:time,distance,speed,calorie, Hand pulse
Brake :Magnet;Drive system:ribbed belt two-ways
Flywheel:3KG magnetic flywheel with 3pc crank
Tension control:8 levels by manual
certificate :ISO 20957;EN957-5/Class HC ,TUV
Saddle adjustment:Horizontal/Vertical
Max user weight:110KG



Packing Details:

Assembly Size:1190*730*1610mm
Carton Size:1000*450*555mm
Loading quantity 20': 114pcs
Loading quantity 40': 240pcs
Loading quantity 40'HQ:280pcs
G.W.: 38.7KGS N.W.:33.7KGS

Item No:BR-6233

Item Name: Elliptical bike

SPECIFICATION

Monitor:time,distance,speed,calorie, Hand pulse
Brake :Magnet;Drive system:ribbed belt two-ways
Flywheel:3KG magnetic flywheel with 3pc crank
Tension control:8 levels by manual
certificate :ISO 20957;EN957-5/Class HC ,TUV
Saddle adjustment:Horizontal/Vertical
Max user weight:110KG

Packing Details:

Assembly Size:1320*600*970mm
Carton Size:1000*280*660mm
Loading quantity 20': 153pcs
Loading quantity 40': 320pcs
Loading quantity 40'HQ:370pcs
G.W.: 30.2KGS N.W.:26.5KGS



Item No:BE-6333

Item Name: Elliptical bike

SPECIFICATION

Monitor:time,distance,speed,calorie, Hand pulse
Brake :Magnet;Drive system:ribbed belt two-ways
Flywheel:3KG magnetic flywheel with 3pc crank
Tension control:8 levels by manual



certificate :ISO 20957;EN957-5/Class HC ,TUV
Saddle adjustment:Horizontal/Vertical
Max user weight:110KG

Packing Details:

Assembly Size:1180*670*1630mm
Carton Size:1120*455*550mm
Loading quantity 20': 100pcs
Loading quantity 40': 208pcs
Loading quantity 40'HQ:248pcs
G.W.: 40KGS N.W.:35KGS



Item No:KMS-6102

Item Name: Magnetic Bike

SPECIFICATION

Monitor:time,distance,speed,calorie, Hand pulse sensor
Brake :Magnet;Drive system:ribbed belt two-ways
Flywheel:8KG magnetic flywheel with 3pc crank
Tension control:8 levels by manual
certificate :ISO 20957;EN957-5/Class HC ,TUV
Saddle adjustment:Horizontal/Vertical
Max user weight:130KG

Packing Details:

Assembly Size:1180*530*1370mm
Carton Size:850*250*600mm
Loading quantity 20': 220pcs
Loading quantity 40': 462pcs
Loading quantity 40'HQ:546pcs
G.W.: 32.7KGS N.W.:30.2KGS



Item No:KMS-6202

Item Name: Magnetic Bike

SPECIFICATION

Monitor:time,distance,speed,calorie, Hand pulse sensor
Brake :Magnet;Drive system:ribbed belt two-ways
Flywheel:5KG magnetic flywheel with 3pc crank
Tension control:8 levels by manual
certificate :ISO 20957;EN957-5/Class HC ,TUV
Saddle adjustment:Horizontal/Vertical
Max user weight:130KG

Packing Details:

Assembly Size:1180*530*1370mm
Carton Size:850*250*600mm
Loading quantity 20': 220pcs
Loading quantity 40': 462pcs
Loading quantity 40'HQ:546pcs
G.W.: 32.5KGS N.W.:30KGS



Item No:KMS-6201P

Item Name: Magnetic Bike

SPECIFICATION

Monitor:time,distance,speed,calorie, Hand pulse sensor
Brake :Magnet;Drive system:ribbed belt two-ways
Flywheel:5KG magnetic flywheel with 3pc crank
Tension control:8 levels by manual
certificate :ISO 20957;EN957-5/Class HC ,TUV
Saddle adjustment:Horizontal/Vertical
Max user weight:130KG

Packing Details:

Assembly Size:1280*620*1560mm
Carton Size:1030*255*480mm
Loading quantity 20': 216pcs
Loading quantity 40': 456pcs
Loading quantity 40'HQ:515pcs
G.W.: 45KGS N.W.:41.7KGS



Item No:KMS-5211

Item Name: Magnetic Bike

SPECIFICATION

Monitor:time,distance,speed,calorie, Hand pulse
Brake :Magnet;Drive system:ribbed belt two-ways
Flywheel:2KG magnetic flywheel with 1pc crank
Tension control:micro tension



certificate :ISO 20957;EN957-5/Class HC ,TUV
Saddle adjustment:Horizontal/Vertical
Max user weight:110KG

Packing Details:

Assembly Size:850*550*1140mm
Carton Size:680*250*585mm
Loading quantity 20': 300pcs
Loading quantity 40': 612pcs
Loading quantity 40'HQ:672pcs
G.W.: 20KGS N.W.:18KGS



Item No:BE-5211

Item Name: Elliptical bike

SPECIFICATION

Monitor:time,distance,speed,calorie, Hand pulse
Brake :Magnet;Drive system:ribbed belt two-ways
Flywheel:2KG magnetic flywheel with 1pc crank
Tension control:8 levels by manual
certificate :ISO 20957;EN957-5/Class HC ,TUV
Saddle adjustment:Horizontal/Vertical
Max user weight:110KG

Packing Details:

Assembly Size:1300*650*1570mm
Carton Size:1020*320*535mm
Loading quantity 20': 157pcs
Loading quantity 40': 324pcs
Loading quantity 40'HQ:405pcs
G.W.: 29KGS N.W.:26KGS



Item Name: Magnetic Bike

SPECIFICATION

Monitor:time,distance,speed,calorie, Hand pulse sensor
Brake :Magnet;Drive system:ribbed belt two-ways
Flywheel:3KG magnetic flywheel with 1pc crank
Tension control:8 levels by manual
certificate :ISO 20957;EN957-5/Class HC ,TUV
Soft PU saddle
Max user weight:100KG

Packing Details:

Assembly Size:880*550*1360mm
Carton Size:785*280*525mm
Loading quantity 20': 240pcs
Loading quantity 40': 480pcs
Loading quantity 40'HQ:600pcs
G.W.: 21KGS N.W.:19KGS

Item No:BE-5086

Item Name: Elliptical Bike

SPECIFICATION

Monitor:time,distance,speed,calorie, Hand pulse sensor
Brake :Magnet;Drive system:ribbed belt two-ways
Flywheel:3KG magnetic flywheel with 1pc crank
Tension control:8 levels by manual
certificate :ISO 20957;EN957-5/Class HC ,TUV
Saddle adjustment:Horizontal/Vertical
Max user weight:110KG

Packing Details:

Assembly Size:1270*600*1480mm
Carton Size:915*330*520mm
Loading quantity 20': 168pcs
Loading quantity 40': 364pcs
Loading quantity 40'HQ:455pcs
G.W.: 33KGS N.W.:31KGS

Item No:BR-5086

Item Name:Recumbent Bike

SPECIFICATION

limited country : USA



Monitor:time,distance,speed,calorie, Hand pulse sensor
Brake :Magnet;Drive system:ribbed belt two-ways
Flywheel:3KG magnetic flywheel with 1pc crank
Tension conctrol:8 levels by manual
certificate :ISO 20957;EN957-5/Class HC ,TUV
Saddle adjustment:Horizontal
Max user weight:110KG

Packing Details:

Assembly Size:1400*640*930mm
Carton Size:1190*250*530mm
Loading quantity 20': 200pcs
Loading quantity 40': 400pcs
Loading quantity 40'HQ:445pcs
G.W.: 30KGS N.W.:26.5KGS

Item No:KMS-5033

Item Name: Magnetic Bike

SPECIFICATION

Monitor:time,distance,speed,calorie, Hand pulse sensor
Brake :Magnet;Drive system:ribbed belt two-ways
Flywheel:3KG magnetic flywheel with 1pc crank
Tension conctrol:8 levels by manual
certificate :ISO 20957;EN957-5/Class HC ,TUV
Soft PU saddle
Max user weight:110KG

Packing Details:

Assembly Size:910*550*1280mm
Carton Size:785*280*525mm
Loading quantity 20': 240pcs
Loading quantity 40': 480pcs
Loading quantity 40'HQ:600pcs
G.W.: 20.5KGS N.W.:18.5KGS

Item No:BE-5031

Item Name: Elliptical Bike

SPECIFICATION

Monitor:time,distance,speed,calorie, Hand pulse sensor
Brake :Magnet;Drive system:ribbed belt two-ways
Flywheel:3KG magnetic flywheel with 1pc crank
Tension conctrol:8 levels by manual
certificate :ISO 20957;EN957-5/Class HC ,TUV
Max user weight:110KG

Packing Details:

Assembly Size:1140*650*1460mm
Carton Size:990*250*575mm
Loading quantity 20': 192pcs
Loading quantity 40': 408pcs
Loading quantity 40'HQ:462pcs
G.W.: 30.8KGS N.W.:26.8KGS

Item No:BE-5033

Item Name: Elliptical Bike

SPECIFICATION

Monitor:time,distance,speed,calorie, Hand pulse sensor
Brake :Magnet;Drive system:ribbed belt two-ways
Flywheel:3KG magnetic flywheel with 1pc crank
Tension conctrol:8 levels by manual
certificate :ISO 20957;EN957-5/Class HC ,TUV
Saddle adjustment:Horizontal with adjust seat
Max user weight:110KG

Packing Details:

Assembly Size:1140*650*1460mm
Carton Size:990*250*575mm
Loading quantity 20': 192pcs
Loading quantity 40': 408pcs
Loading quantity 40'HQ:462pcs
G.W.: 31KGS N.W.:28KGS

Item No:BR-5035 *



Item Name: Recumbent Bike**SPECIFICATION**

limited country : USA

Monitor:time,distance,speed,calorie, Hand pulse sensor
 Brake :Magnet;Drive system:ribbed belt two-ways
 Flywheel:3KG magnetic flywheel with 1pc crank
 Tension control:8 levels by manual
 certificate :ISO 20957;EN957-5/Class HC ,TUV
 Saddle adjustment:Horizontal
 Max user weight:110KG

Packing Details:

Assembly Size:1400*640*930mm
 Carton Size:1210*250*530mm
 Loading quantity 20': 176pcs
 Loading quantity 40': 373pcs
 Loading quantity 40'HQ:425pcs
 G.W.: 30KGS N.W.:26.5KGS

**Item No:BR-5037****Item Name: Recumbent Bike****SPECIFICATION**

Monitor:time,distance,speed,calorie, Hand pulse sensor
 Brake :Magnet;Drive system:ribbed belt two-ways
 Flywheel:3KG magnetic flywheel with 1pc crank
 Tension control:8 levels by manual
 certificate :ISO 20957;EN957-5/Class HC ,TUV
 Saddle adjustment:Horizontal
 Max user weight:110KG

Packing Details:

Assembly Size:1440*630*915mm
 Carton Size:1075*250*530mm
 Loading quantity 20': 198pcs
 Loading quantity 40': 396pcs
 Loading quantity 40'HQ:486pcs
 G.W.: 28.5KGS N.W.:25KGS

**Item No:BR-5076-2****Item Name:Recumbent Bike****SPECIFICATION**

Monitor:time,distance,speed,calorie, Hand pulse sensor
 Brake :Magnet;Drive system:ribbed belt two-ways
 Flywheel:3KG magnetic flywheel with 1pc crank
 Tension control:8 levels by manual
 certificate :ISO 20957;EN957-5/Class HC ,TUV
 Saddle adjustment:Horizontal
 Max user weight:110KG

Packing Details:

Assembly Size:1350*640*930mm
 Carton Size:1140x250x530mm
 Loading quantity 20': 200pcs
 Loading quantity 40': 400pcs
 Loading quantity 40'HQ:450pcs
 G.W.: 30KGS N.W.:26.5KGS

**Item No:BR-5076P**

limited country : Germany

Item Name:Recumbent Bike**SPECIFICATION**

Monitor:time,distance,speed,calorie, Hand pulse sensor
 Electronic controlled resistance adjustable system
 Brake :Magnet;Drive system:ribbed belt two-ways
 Flywheel:3KG magnetic flywheel with 1pc crank
 Tension control:8 levels by manual
 certificate :ISO 20957;EN957-5/Class HC ,TUV
 Saddle adjustment:Horizontal
 Max user weight:110KG

Packing Details:

Assembly Size:1350*640*930mm
 Carton Size:1140x250x530mm
 Loading quantity 20': 200pcs
 Loading quantity 40': 400pcs



Loading quantity 40'HQ:450pcs
G.W.: 30KGS N.W.:26.5KGS

Item No:KMS-5201



Item Name: Magnetic Bike

SPECIFICATION

limited country : USA

Monitor:time,distance,speed,calorie, Hand pulse sensor
Brake :Magnet;Drive system:ribbed belt two-ways
Flywheel:2.5 KG magnetic flywheel with 1pc crank
Tension conctrol:8 levels by manual
certificate :ISO 20957;EN957-5/Class HC ,TUV
Soft PU saddle
Max user weight:100KG

Packing Details:

Assembly Size:800*550*1140mm
Carton Size:660*250*585mm
Loading quantity 20': 311pcs
Loading quantity 40': 635pcs
Loading quantity 40'HQ:704pcs
G.W.:19KGS N.W.:17.2KGS



Item No:BE-5201

Item Name: Elliptical Bike

SPECIFICATION

limited country : USA

Monitor:time,distance,speed,calorie, Hand pulse sensor
Brake :Magnet;Drive system:ribbed belt two-ways
Flywheel:2.5 KG magnetic flywheel with 1pc crank
Tension conctrol:8 levels by manual
certificate :ISO 20957;EN957-5/Class HC ,TUV
Max user weight:100KG

Packing Details:

Assembly Size:1300*650*1570mm
Carton Size:1020*320*530mm
Loading quantity 20': 156pcs
Loading quantity 40': 338pcs
Loading quantity 40'HQ:402pcs
G.W.: 28.5KGS N.W.:25.5 KGS



Item No:BR-5201

Item Name:Recumbent Bike

SPECIFICATION

limited country : USA

Monitor:time,distance,speed,calorie, Hand pulse sensor
Brake :Magnet;Drive system:ribbed belt two-ways
Flywheel:2.5KG magnetic flywheel with 1pc crank
Tension conctrol:8 levels by manual
certificate :ISO 20957;EN957-5/Class HC ,TUV
Saddle adjustment:Horizontal
Max user weight:100KG

Packing Details:

Assembly Size:1350*600*860mm
Carton Size:750*310*650mm
Loading quantity 20': 176pcs
Loading quantity 40': 386pcs
Loading quantity 40'HQ:448pcs
G.W.: 26KGS N.W.:22KGS



Item No:KMS-206

Item Name:Recumbent Bike

SPECIFICATION

Monitor:time,distance,speed,calorie, Hand pulse sensor
Brake :Magnet;Drive system:ribbed belt two-ways
Flywheel:2.5KG magnetic flywheel with 1pc crank
Tension conctrol:8 levels by manual
certificate :ISO 20957;EN957-5/Class HC ,TUV
Soft PU saddle
Max user weight:100KG

Packing Details:

Assembly Size: 790*440*1075mm
Carton Size:590*250*470mm



Loading quantity 20': 445pcs
Loading quantity 40': 890pcs
Loading quantity 40'HQ:980pcs
G.W.: 17KGS N.W.:15KGS

Item No:KMS-207



Item Name:Recumbent Bike

limited country : Poland

SPECIFICATION

Monitor:time,distance,speed,calorie, Hand pulse sensor
Brake :Magnet;Drive system:ribbed belt two-ways
Flywheel:2.5KG magnetic flywheel with 1pc crank
Tension control:8 levels by manual
certificate :ISO 20957;EN957-5/Class HC ,TUV
Soft PU saddle
Max user weight:100KG

Packing Details:

Assembly Size: 790*440*1075mm
Carton Size:590*250*470mm
Loading quantity 20': 445pcs
Loading quantity 40': 890pcs
Loading quantity 40'HQ:980pcs
G.W.: 17KGS N.W.:15KGS



Item No:KMS-209



Item Name:Recumbent Bike

SPECIFICATION

Monitor:time,distance,speed,calorie, Hand pulse sensor
Brake :Magnet;Drive system:ribbed belt two-ways
Flywheel:2.5KG magnetic flywheel with 1pc crank
Tension control:8 levels by manual
certificate :ISO 20957;EN957-5/Class HC ,TUV
Soft PU saddle
Max user weight:100KG

Packing Details:

Assembly Size: 790*440*1075mm
Carton Size:590*250*470mm
Loading quantity 20': 445pcs
Loading quantity 40': 890pcs
Loading quantity 40'HQ:980pcs
G.W.: 17KGS N.W.:15KGS



Item No:KMS-202

Item Name: Magnetic Bike

SPECIFICATION

Monitor:time,distance,speed,calorie, Hand pulse sensor
Brake :Magnet;Drive system:ribbed belt two-ways
Flywheel:2.5KG magnetic flywheel with 1pc crank
Tension control:8 levels by manual
certificate :ISO 20957;EN957-5/Class HC ,TUV
Soft PU saddle
Max user weight:100KG

Packing Details:

Assembly Size:790*440*1075mm
Carton Size:590*250*470mm
Loading quantity 20': 450pcs
Loading quantity 40': 890pcs
Loading quantity 40'HQ:980pcs
G.W.: 17KGS N.W.:15KGS

