

# SOURCE TRADERS | LTD

Item No.: TF4200

Limited country :Germany

**SPECIFICATION:**

- DC Motor:1.25HP
  - Speed Range:1-14.0km/h
  - Incline>manual incline
  - Running surface:420\*1300mm
  - Computer:Hand pulse,Time,Speed,Distance,Calories
  - **Display: 5" LCD display with blue backlight**
  - **With whole auto fold system with knob without any screw**
  - With inside running board rubber cushion system
  - Max use weight:110kgs
- Metal tube spe:  
handrail : 30\*32\*1.5  
Column pipe : 30\*70\*1.5  
Main frame:30\*60\*1.5



**PACKING DETAILS:**

- Assembly size:1670\*820\*1250m**
- Carton Size:1715\*765\*260mm
- Loading quantity 20':87sets
- Loading quantity 40'GP: 184sets
- Loading quantity 40'HQ: 203 sets
- N.W.: 43KGS G.W.: 48 KGS**

Item No.: TE4000

**SPECIFICATION:**

- DC Motor:0.8HP
  - Speed Range:1-12.0km/h
  - Incline>manual incline
  - Running surface:400\*1260mm
  - Computer:Hand pulse,Time,Speed,Distance,Calories
  - **Display: 3.5" LCD display with blue backlight**
  - With inside running board rubber cushion system
  - Max use weight:100kgs
- Metal tube spe:  
handrail : 50\*25\*1.5  
Column pipe : 30\*70\*1.5  
Main frame:30\*80\*2.0



**PACKING DETAILS:**

- Assembly size:1630 x 680 x 1300mm**
- Carton Size:1710 x 710 x 230mm

Loading quantity 20':99sets  
Loading quantity 40'GP: 209sets  
Loading quantity 40'HQ: 230 sets  
**N.W.: 49KGS G.W.: 55KGS**

---



**Item No.: TE4200**

**SPECIFICATION:**

- DC Motor:1.25HP
  - Speed Range:1-14.0km/h
  - Incline>manual incline
  - Running surface:420\*1260mm
  - Computer:Hand pulse,Time,Speed,Distance,Calories
  - **Display: 3.5" LCD display with blue backlight**
  - With inside running board rubber cushion system
  - Max use weight:100kgs
- Metal tube spe:  
handrail : 50\*25\*1.5  
Column pipe : 30\*70\*1.5  
Main frame:30\*70\*2.0



**PACKING DETAILS:**

**Assembly size:1630 x 680 x 1300mm**  
Carton Size:1710 x 710 x 230mm  
Loading quantity 20':99sets  
Loading quantity 40'GP: 209sets  
Loading quantity 40'HQ: 230 sets  
**N.W.: 49KGS G.W.: 55KGS**

---



**Item No.: TA4600**

**SPECIFICATION:**

- DC Motor:1.5HP
  - Speed Range:1-16.0km/h
  - Incline:Automatic incline
  - Running surface:460\*1300mm
  - Computer:Hand pulse,Time,Speed,Distance,Calories,APP,MP3,USB
  - **Display: 3 LED display and digital speaker with good soundbox**
  - **With whole auto fold system with knob**
  - With inside running board rubber cushion system
  - Max use weight:120kgs
- Metal tube spe:  
handrail : 50\*25\*1.5  
Column pipe : 30\*70\*1.5  
Main frame:40\*25\*2.0



**PACKING DETAILS:**

**Assembly size:1640 x 730 x 1310mm**  
Carton Size:1710 x 765 x 290mm  
Loading quantity 20':79sets  
Loading quantity 40'GP: 166sets  
Loading quantity 40'HQ: 187 sets  
**N.W.: 55KGS G.W.: 65KGS**

**Item No.: TA5010**



**SPECIFICATION:**

- DC Motor:2.5HP
- Speed Range:1-20.0km/h
- Incline:Automatic incline
- Running surface:500\*1400mm
- Computer:Hand pulse,Time,Speed,Distance,Calories,APP,MP3,USB
- **Display: 3 LED display and digital speaker with good soundbox**
- **With whole auto fold system with knob**
- With inside running board rubber cushion system
- Max use weight:120kgs

Metal tube spe:

handrail : 50\*25\*1.5

Column pipe : 25\*40\*2.0

Upright post tube:30\*70\*1.5

**PACKING DETAILS:**

**Assembly size:1740X770X1310mm**

Carton Size:1805 x 815 x 285mm

Loading quantity 20': 65sets

Loading quantity 40'GP: 136 sets

Loading quantity 40'HQ: 154 sets

**N.W.: 66KGS G.W.: 71KGS**

**Item No.: TC4200**



**SPECIFICATION:**

- DC Motor:1.25HP
- Speed Range:1-14.0km/h
- Incline>manual incline
- Running surface:420\*1200mm
- Computer:Hand pulse,Time,Speed,Distance,Calories
- **Display: 5" LCD display with blue backlight**
- With safety lock system
- With inside running board rubber cushion system
- Max use weight:120kgs

Metal tube spe:

handrail : 30\*50\*1.5

Column pipe : 30\*70\*1.5

Main frame:30\*60\*1.5

**PACKING DETAILS:**

**Assembly size:1535\*705\*1260mm**

Carton Size:1635\*765\*290mm

Loading quantity 20':84sets

Loading quantity 40'GP: 169sets

Loading quantity 40'HQ: 195sets

**N.W.: 43.3KGS G.W.: 48.3KGS**



**Item No.: TC4210**

**SPECIFICATION:**

- DC Motor:1.25HP



- Speed Range:1-14.0km/h
  - Incline:15% Auto incline
  - Running surface:420\*1200mm
  - Computer:Hand pulse,Time,Speed,Distance,Calories
  - **Display: 5" LCD display with blue backlight**
  - With inside running board rubber cushion system
  - Max use weight:110kgs
- Metal tube spe:  
handrail : 30\*50\*1.5  
Column pipe : 30\*70\*1.5  
Main frame:30\*60\*1.5

**PACKING DETAILS:**

**Assembly size:1535\*705\*1260mm**  
Carton Size:1635\*765\*290mm  
Loading quantity 20':84sets  
Loading quantity 40'GP: 169sets  
Loading quantity 40'HQ: 195sets  
**N.W.:45.2KGS G.W.: 50.2KGS**



**Item No.: TA4810**

**SPECIFICATION:**

- DC Motor:1.75HP
  - Speed Range:1-18.0km/h
  - Incline:15% Auto incline
  - Running surface: 1350\*480mm
  - Computer:Hand pulse,Time,Speed,Distance,Calories,Incline
  - **Display:7.8 inch LCD display with blue backlight**
  - Programs:18 pre-set programs,U1-U3
  - With safety lock system
  - With inside running board rubber cushion system
  - Max use weight:120kgs
- Option:Change into AC motor, BLUETOOTH/+USD4
- Metal tube spe:  
handrail : 30\*50\*1.5  
Column pipe : 40\*100\*1.5  
Main frame:40\*80\*1.5



**PACKING DETAILS:**

**Assembly size: 1650\*775\*1335mm**  
Carton Size:1715\*790\*365mm  
Loading quantity 20': 50sets  
Loading quantity 40'GP: 106 sets  
Loading quantity 40'HQ: 133 sets  
**N.W.: 65.8KGS G.W.: 73.8 KGS**

**Item No.: TB4000**

**SPECIFICATION:**

- DC Motor:1.25HP
- Speed Range:1-14.0km/h
- Incline>manual incline
- Running surface:400\*1200mm
- Computer:Hand pulse,Time,Speed,Distance,Calories
- **Display: 5" LCD display with blue backlight**





- With safety lock system
  - With inside running board rubber cushion system
  - Max use weight:100kgs
- Metal tube spe:  
handrail : 30\*50\*1.5  
Column pipe : 30\*70\*1.5  
Main frame:30\*60\*1.5

**PACKING DETAILS:**

Assembly size:1590\*685\*1360mm  
Carton Size:1615\*755\*290mm  
Loading quantity 20':80sets  
Loading quantity 40'GP: 170sets  
Loading quantity 40'HQ: 191 sets  
N.W.: 42.6KGS G.W.: 47.8 KGS



**Item No.: TA4000**

**SPECIFICATION:**

- DC Motor:1.25HP
  - Speed Range:1-14.0km/h
  - Incline>manual incline
  - Running surface:400\*1200mm
  - Computer:Hand pulse,Time,Speed,Distance,Calories
  - Display: 5" LCD display with blue backlight
  - With safety lock system
  - With inside running board rubber cushion system
  - Max use weight:100kgs
- Metal tube spe:  
handrail : 32\*1.5  
Column pipe : 30\*70\*1.5  
Main frame:30\*60\*1.5

**PACKING DETAILS:**

Assembly size:1550\*700\*1240mm  
Carton Size:1635\*775\*290mm  
Loading quantity 20':80sets  
Loading quantity 40'GP: 170sets  
Loading quantity 40'HQ: 191 sets  
N.W.: 41KGS G.W.: 46 KGS



**Item No.: TD4000**

**SPECIFICATION:**

- DC Motor:1.25HP
  - Speed Range:1-14.0km/h
  - Incline>manual incline
  - Running surface:400\*1200mm
  - Computer:Hand pulse,Time,Speed,Distance,Calories
  - Display: 5" LCD display with blue backlight
  - With safety lock system
  - With inside running board rubber cushion system
  - Max use weight:100kgs
- Metal tube spe:

handrail : 30\*50\*1.5  
Column pipe : 30\*70\*1.5  
Main frame:30\*60\*1.5

**PACKING DETAILS:**

Assembly size:1590\*685\*1360mm  
Carton Size:1635\*775\*290mm  
Loading quantity 20':80sets  
Loading quantity 40'GP: 170sets  
Loading quantity 40'HQ: 191 sets  
N.W.: 42.6KGS G.W.: 47.6 KGS

---



**Item No.: TD4001**

**SPECIFICATION:**

- DC Motor:1HP
  - Speed Range:0.8-12.0km/h
  - Incline:manual incline
  - Running surface:1200\*400MM
  - Computer:Hand pulse,Time,Speed,Distance,Calories
  - Display:Led display with blue backlight
  - Programs:12 pre-set programs
  - With safety lock system
  - With inside running board rubber cushion system
  - Max use weight:100kgs
- Metal tube spe:  
handrail : 31.8\*1.5  
Column pipe : 30\*70\*1.5  
Main frame:30\*60\*1.5

**PACKING DETAILS:**

Assembly size:L1500\*675\*1140 mm  
Carton Size:1580\*725\*235mm  
Loading quantity 20':103sets  
Loading quantity 40'GP: 210 sets  
Loading quantity 40'HQ: 256 sets  
N.W.: 43KGS G.W.: 49 KGS

---



**Item No.: TH4000**

**SPECIFICATION:**

- DC Motor:1HP
- Speed Range:0.8-12.0km/h
- Incline:manual incline
- Running surface:1200\*400MM
- Computer:Hand pulse,Time,Speed,Distance,Calories
- Display:5" LCD display with blue backlight
- Programs:12 pre-set programs
- With safety lock system
- With inside running board rubber cushion system
- Max use weight:100kgs

**PACKING DETAILS:**

Assembly size:L1590\*685\*1360 mm  
Carton Size:1600\*775\*260mm

Loading quantity 20':95sets  
Loading quantity 40'GP: 200 sets  
Loading quantity 40'HQ: 223 sets  
N.W.: 40KGS G.W.: 47 KGS

---

**Item No.: WA3800H**

**SPECIFICATION:**

- DC Motor:0.8HP
- Speed Range:0.8-10.0km/h
- Running surface:1100\*380MM
- With inside running board rubber cushion system
- **With APP bluetooth and controller , handlebar**
- Max use weight:90kgs

Metal tube spe:

**handrail : 30\*60\*1.5**

Column pipe : 30\*70\*1.5

Main frame:30\*60\*1.5

**PACKING DETAILS:**

Assembly size:1335L\*640W\*1045H mm

Carton Size:1425\*705\*185 mm

Loading quantity 20':165sets

Loading quantity 40'GP: 328 sets

Loading quantity 40'HQ: 378 sets

N.W.: 27.5KGS G.W.: 31.5KGS

---



**Item No.: WA3800**

**SPECIFICATION:**

- DC Motor:0.8HP
- Speed Range:0.8-10.0km/h
- Running surface:1100\*380MM
- With inside running board rubber cushion system
- With APP bluetooth and controller
- Max use weight:90kgs

Metal tube spe:

**handrail : 30\*60\*1.5**

Column pipe : 30\*70\*1.5

Main frame:30\*60\*1.5

**PACKING DETAILS:**

Assembly size:1335L\*640W\*165H mm

Carton Size:1425\*705\*185 mm

Loading quantity 20':165sets

Loading quantity 40'GP: 328 sets

Loading quantity 40'HQ: 378 sets

N.W.: 22.8KGS G.W.: 26.8KGS


---



**Item No.: WD4000**

**SPECIFICATION:**

- DC Motor:0.65HP
- Speed Range:0.8-6.0km/h
- Running surface:1200\*400MM
- With inside running board rubber cushion system
- With APP bluetooth and controller
- Max use weight:100kgs



**PACKING DETAILS:**

Assembly size: mm  
Carton Size: mm  
Loading quantity 20':sets  
Loading quantity 40'GP: sets  
Loading quantity 40'HQ: 350~360 sets  
N.W.: 26KGS G.W.: 30.5KGS

---



Item No.: D234A

**SPECIFICATION:**

- DC Motor:0.65HP
- Speed Range:0.8KM/H-10KM/H
- Running surface:340\*950Mm
- With inside running board rubber cushion system
- With APP bluetooth and controller
- Max use weight:80kgs

**PACKING DETAILS:**

Assembly size:1230\*625\*1195mm  
Carton Size: 1305\*665\*285mm  
Loading quantity 20':116 sets  
Loading quantity 40'GP: 243sets  
Loading quantity 40'HQ: 270 sets  
N.W.: 24.7 G.W.:30KGS

---

Item No.: music flat  
treadmill  
model:KMS-QB01



**SPECIFICATION:**

- DC Motor:0.65HP
- Speed Range:1KM/H-6KM/H
- Running surface:340\*950Mm
- With inside running board rubber cushion system
- With APP bluetooth and controller
- Max use weight:90kgs

**PACKING DETAILS:**

Assembly size:1356\*702\*182mm  
Packing size : 1417\*772\*329 mm  
Loading quantity 20':84 sets  
Loading quantity 40'GP: 168sets  
Loading quantity 40'HQ: 192 sets  
N.W.: 27 G.W.:31KGS

---



Item No.: music flat  
treadmill  
model:KMS-QB01plus  
(others parameters remain  
the same)

**SPECIFICATION:**

- DC Motor:0.65HP
- Speed Range:1KM/H-6KM/H
- Running surface:1220\*400mm
- Buffer system : high elastic silicone suspension damping
- Input power : 220V 50/60HZ
- Max use weight:90kgs



**PACKING DETAILS:**

Assembling Size : 1526\*702\*182mm  
Packing size : 1587\*772\*329 mm  
Loading quantity 20':72 sets  
Loading quantity 40'GP: 153sets  
Loading quantity 40'HQ: 174 sets  
N.W.: 31KGS G.W.:39KGS



Item No.: KMS-QB03

**SPECIFICATION:**

aux Motor Power:DC 0.8HP  
normal touch surface: Speed ,MP3 Player,  
Incline:NO  
Buffer system : high elastic silicone suspension damping  
Input power : 220V 50/60HZ  
Speed range : 1-12KM/H



**PACKING DETAILS:**

Assembling Size : 1526\*702\*1103mm  
Packing size : 1587\*772\*329mm  
Loading quantity 20':72 sets  
Loading quantity 40'GP: 153sets  
Loading quantity 40'HQ: 174 sets  
N.W.: 39KGS G.W.:46KGS

Item No.: KMS-T4000

Treadmill

**SPECIFICATION:**

aux Motor Power:DC0.75HP  
normal touch surface: Speed ,MP3 Player,  
Incline:Fixed Slope  
Input power : 220V 50/60HZ  
Speed range : 1.0KM/H-12KM/H  
• Running surface:420\*1210mm

Max User Weight:110KG

**PACKING DETAILS:**

Assembling Size : 1520\*755\*1202mm  
Packing size : 1590\*825\*355mm  
Loading quantity 20':  
Loading quantity 40'GP:  
Loading quantity 40'HQ: 130 sets  
N.W.: 46KGS G.W.:55KGS



Item No.: KMS-E3-HIFI

Treadmill

**SPECIFICATION:**

aux Motor Power:DC0.75HP  
normal touch surface: Speed ,MP3 Player,Diamond Pattern  
Incline:Fixed Slope  
Input power : 220V 50/60HZ  
Speed range : 1.0KM/H-12KM/H  
• Running surface:420\*1210mm

Max User Weight:110KG

**PACKING DETAILS:**

Assembling Size : 1520\*755\*1257mm  
Packing size : 1590\*825\*355mm  
Loading quantity 20':  
Loading quantity 40'GP:



Loading quantity 40'HQ: 130 sets  
N.W.: 54KGS G.W.:47KGS

---



Item No.: KMS-M521  
Treadmill  
SPECIFICATION:  
aux Motor Power:DC0.75HP  
Console Display:5 Inch Blue Screen  
Program:P1-P12  
Incline:auto 1-15%  
Input power : 220V 50/60HZ  
Speed range : 1.0KM/H-12KM/H  
• Running surface:420\*1300mm  
Max User Weight:110KG  
PACKING DETAILS:  
Assembling Size : 1650\*710\*1290mm  
Packing size : 1705\*720\*360mm  
Loading quantity 20':  
Loading quantity 40'GP:  
Loading quantity 40'HQ: 132 sets  
N.W.: 67KGS G.W.:74KGS

---



Item No.: KMS-ES6  
Treadmill  
SPECIFICATION:  
aux Motor Power:DC1.5HP  
Console Display:5 Inch Blue Screen  
Program:P1-P12  
Incline:auto 1-15%  
Input power : 220V 50/60HZ  
Speed range : 1.0KM/H-11KM/H  
• Running surface:420\*1300mm  
Max User Weight:110KG  
PACKING DETAILS:  
Assembling Size : 1650\*710\*1290mm  
Packing size : 1705\*720\*360mm  
Loading quantity 20':  
Loading quantity 40'GP:  
Loading quantity 40'HQ: 132 sets  
N.W.: 67KGS G.W.:74KGS

---



Item No.: KMS-ESE4  
Treadmill  
SPECIFICATION:  
aux Motor Power:DC 0.88 HP  
Console Display:LED  
Program:P1-P12  
Incline:Fixed Slope  
Input power : 220V 50/60HZ  
Speed range : 1KM/H-12.5KM/H  
• Running surface:420\*1210mm Diamond Pattern  
Max User Weight:110KG  
PACKING DETAILS:  
Assembling Size : 1520\*775\*1259mm  
Packing size:1590\*825\*355mm  
Loading quantity 20':  
Loading quantity 40'GP:  
Loading quantity 40'HQ: 130 sets  
N.W.: 45KGS G.W.:52KGS